

## PUBLICATIONS – JÉRÉMIE DOIRON

- Soucy, M. N., Hébert, M. P. A., **Doiron, J. A.**, Barnett, D. A., Lamarre, S. G., Hébert-Chatelain, E., Boudreau, L. H. (2025). Platelet-derived microvesicles modulate the bioenergetic and inflammatory phenotype of human polymorphonuclear leukocytes. *J Leukoc Biol.* 117(9):qiaf119. doi: 10.1093/jleuko/qiaf119.
- Gauvin, V. L., Soucy, M. N., Richard, J. D., Graham, K. A., Matthew, A. J., Hébert, M. P. A., **Doiron, J. A.**, Johnson, M., Allain, E. P., Barnett, D. A., Turcotte, S., Boudreau, L. H. (2025). The role of 12-lipoxygenase in regulating megakaryocyte maturation and platelet-like particles production. *Thromb Res.* 254:109445. doi: 10.1016/j.thromres.2025.109445.
- Robichaud, M. A., Chiasson, A. I., **Doiron, J. A.**, Hébert, M. P. A., Surette, M. A., Touaibia, M. Novel Oxadiazole-Based Bioisostere of Caffeic Acid Phenethyl Ester: Synthesis, Anticancer Activity, and Inhibition of Lipoxygenase Product Biosynthesis (2025). *Drug Development Research* 86(3), e70099. DOI: 10.1002/ddr.70099
- Foulem, R. D., Mbarik, M., **Doiron, J. A.**, Soucy, M.— F. N., Toro-Ramirez, D., Pecourt, F., Barnett, D. A., Boudreau, L. H., Surette, M. A. (2025). Platelet-Derived Microvesicles Modulate Cytokine and Lipid Mediator Profiles in THP-1 Monocytes and Macrophages. *Immunology Letters*, (in-press). DOI: 10.1016/j.imlet.2025.107029
- Laevski, A. M., Doucet, M. R., Doucet, M. S., LeBlanc, A. A., Pineau, P. E., Hébert, M. P. A., **Doiron, J. A.** Roy, P., Mbarik, M., Matthew, A. J., Allain, E. P., Surette M. E. & Boudreau, L. H. (2024). Dietary omega-3 fatty acids modulate the production of platelet-derived microvesicles in an in vivo inflammatory arthritis model. *Eur J Nutr*, 63, 2221–2234. DOI : 10.1007/s00394-024-03397-9
- Touaibia, M., Chiasson, A. I., Robichaud, S., **Doiron, J. A.**, Hébert, M. P. A., & Surette, M. E. (2024). Single and multiple inhibitors of the biosynthesis of 5-, 12-, 15-lipoxygenase products derived from cinnamyl-3,4-dihydroxy- $\alpha$ -cyanocinnamate: Synthesis and structure–activity relationship. *Drug Development Research*, 85, e22181. DOI : 10.1002/ddr.22181
- Doucet, M. R., Laevski, A. M., **Doiron, J. A.**, Boudreau, L. H., Surette, M. E. (2024). Locomotor activity as an effective measure of the severity of inflammatory arthritis in a mouse model. *PlosOne* 19(1), e0291399. DOI: 10.1371/journal.pone.0291399.
- Ayad, A. S., Hébert, M., **Doiron, J.**, Loucif-Ayad, W., Daas, T., Smagghe, G., Alburaki, M., Barnett, D. A., Touaibia, M., Surette, M. (2024). Algerian propolis from distinct geographical locations: chemical profiles, antioxidant capacity, cytotoxicity and inhibition of 5-lipoxygenase product biosynthesis. *Chemistry & Biodiversity*, e202301758. DOI: 10.1002/cbdv.202301758.
- Cormier, R. J., **Doiron, J. A.**, Touaibia, M., Surette, M. E., Pichaud, N. (2023) Time-dependent metabolome and fatty acid profile changes following a high-fat diet exposure in *Drosophila melanogaster*. *Insect Biochemistry and Molecular Biology*, 152, 103892. DOI: 10.1016/j.ibmb.2022.103892.
- Hébert, M. P. A., Selka, A., Lebel, A. A., **Doiron, J. A.**, Chiasson, A. I., Gauvin, V. L., Matthew, A. J., Hébert, M. J. G., Doucet, M. S., Joy, A. P., Barnett, D. A., Touaibia, M., Surette, M. E., Boudreau, L. H. (2023). Caffeic acid phenethyl ester analogues as selective inhibitors of 12-lipoxygenase product biosynthesis in human platelets. *International Immunopharmacology*, 121, 110419. DOI: 10.1016/j.intimp.2023.110419.
- Touaibia, M., Faye, D. C., **Doiron, J. A.**, Chiasson, A. I., Blanchard, S., Roy, P.-P., Surette, M. E. (2022). Structure–Activity Relationship Studies of New Sinapic Acid Phenethyl Ester Analogues Targeting the Biosynthesis of 5-Lipoxygenase Products: The Role of Phenolic Moiety, Ester Function, and Bioisosterism. *Journal of Natural Products*, 85(1), 225. DOI: 10.1021/acs.jnatprod.1c00982.
- Bhullar, K. S., Nael, M. A., Elokely, K. M., **Doiron, J. A.**, LeBlanc, L. M., Lassalle-Claux, G., Salla, M., Aldawsari, F. S., Touaibia, M., Vasantha Rupasinghe, H. P. (2022). Ketone analog of caffeic acid phenethyl ester exhibits antioxidant activity via activation of ERK-dependent Nrf2 pathway. *Applied Sciences*, 12(6), 3062. DOI: 10.3390/app12063062.

- Sambou, M., Jean-François, J., Ndongou Moutombi, F. J., **Doiron, J. A.**, Hébert, M. P. A., Joy, A. P., Mai-Thi, N.-N., Barnett, D. A., Surette, M. E., Boudreau, L. H. (2020). Extraction, antioxidant capacity, 5-lipoxygenase inhibition, and phytochemical composition of propolis from Eastern Canada. *Molecules*, 25(10), 2397. DOI: 10.3390/molecules25102397.
- Selka, A., **Doiron, J. A.**, Lyons, P., Dastous, S., Chiasson, A., Cormier, M., Turcotte, S., Surette, M. E., Touaibia, M. (2019). Discovery of a novel 2, 5-dihydroxycinnamic acid-based 5-lipoxygenase inhibitor that induces apoptosis and may impair autophagic flux in RCC4 renal cancer cells. *European Journal of Medicinal Chemistry* 179, 347. DOI: 10.1016/j.ejmech.2019.06.060.
- Mbarik, M., Poirier, S. J., **Doiron, J.**, Selka, A., Barnett, D. A., Cormier, M., Touaibia, M., Surette, M. E. (2019). Phenolic acid phenylesters and their corresponding ketones: Inhibition of 5-lipoxygenase and stability in human blood and HepaRG cells. *Pharmacology Research & Perspectives*. 7(5), e00524. DOI: 10.1002/prp2.524.
- Touaibia, M., Hébert, M. J. G., Levesque, N. A., **Doiron, J. A.**, Doucet, M. S., Jean-François, J., Cormier, M., Boudreau, L. H., Surette, M. E. (2018). Sinapic acid phenethyl ester as a potent selective 5-lipoxygenase inhibitor: Synthesis and structure–activity relationship. *Chemical Biology & Drug Design*, 92(5), 1876. DOI: 10.1111/cbdd.13360.
- Roy, P.— P., Faye, D., Blanchard, S., Cormier, M., **Doiron, J. A.**, Surette, M. E., Touaibia, M. (2017). New Caffeic Acid Phenylethyl Ester Analogs Bearing Substituted Triazole: Synthesis and Structure- Activity Relationship Study towards 5-Lipoxygenase Inhibition. *Journal of Chemistry*, 2380531. DOI: 10.1155/2017/2380531.
- **Doiron, J. A.**, Leblanc, L. M., Hébert, M. J. G., Levesque, N. A., Paré, A. F., Jean-François, J.; Cormier, M.; Surette, M. E.; Touaibia, M. (2017). Structure–activity relationship of caffeic acid phenethyl ester analogs as new 5-lipoxygenase inhibitors. *Chemical Biology & Drug Design*, 89(4), 514. DOI: 10.1111/cbdd.12874.
- Morin Jr, P., St-Coeur, P.— D., **Doiron, J. A.**, Cormier, M., Poitras, J. J., Surette, M. E., Touaibia, M. (2017). Substituted caffeic and ferulic acid phenethyl esters: Synthesis, leukotrienes biosynthesis inhibition, and cytotoxic activity. *Molecules*, 22(7), 1124. DOI: 10.3390/molecules22071124.
- Robichaud, P.— P., Poirier, S. J., Boudreau, L. H., **Doiron, J. A.**, Barnett, D. A., Boilard, E., Surette, M. E. (2016). On the cellular metabolism of the click chemistry probe 19-alkyne arachidonic acid. *Journal of lipid research*, 57(10), 1821. DOI: 10.1194/jlr.M067637.
- **Doiron, J. A.**, Métayer, B., Richard, R. R., Desjardins, D., Boudreau, L. H., Levesque, N. A., Jean-François, J., Poirier, S. J., Surette, M. E., Touaibia, M. (2014). Clicked cinnamic/caffeic esters and amides as radical scavengers and 5-lipoxygenase inhibitors. *International Journal of Medicinal Chemistry*, 931756. DOI: 10.1155/2014/931756.
- Touaibia, M., Jean-François, J., **Doiron, J.** (2011). Caffeic Acid, a versatile pharmacophore: an overview. *Mini reviews in medicinal chemistry*, 11(8), 695. DOI: 10.2174/138955711796268750.
- **Doiron, J.**, Soultan, A. H., Richard, R., Touré, M. M., Picot, N., Richard, R, Cuperlovic-Culf, M., Robichaud, G. A., Touaibia, M. (2011). Synthesis and structure-activity relationship of 1- and 2- substituted-1,2,3-triazole letrozole-based analogues as aromatase inhibitors. *European Journal of Medicinal Chemistry*, 46(2011), 4010. DOI: 10.1016/j.ejmech.2011.05.074.
- Boudreau, L. H., Picot, N., **Doiron, J.**, Villebonnet, B., Surette, M. E., Robichaud, G. A., Touaibia, M. (2009). Caffeoyl and cinnamoyl clusters with anti-inflammatory and anti-cancer effects. Synthesis and structure–activity relationship. *New Journal of Chemistry*, 33(9), 1932. DOI: 10.1039/B907878A.
- **Doiron, J.**, Boudreau, L. H., Picot, N., Villebonnet, B., Surette, M. E., Touaibia, M. (2009). Synthesis and 5-lipoxygenase inhibitory activity of new cinnamoyl and caffeoyl clusters. *Bioorganic & Medicinal Chemistry Letters*, 19(4), 1118. DOI: 10.1016/j.bmcl.2008.12.108.

